



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

June 26, 2008

Pepper Hamilton LLP/Wyeth
400 Berwyn Park
899 Cassatt Road
Berwyn PA 19312-1183

Patent No. : 7,297,688 B2
Inventor(s) : Gary S. Grubb
Issued : November 20, 2007
For **STARTER KIT FOR LOW DOSE ORAL
CONTRACEPTIVES**
Doc. No. **AM100058**

To Whom It May Concern:

The Certificate of Correction issued on June 17, 2008, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofc was issued in that format. The applicant notated that Claim 3 be rewritten, but the correction should be properly labeled under --Column 6, Claim 3, lines 22 and 23--. The applicant notated that Claim 5 be rewritten, but the correction should be properly labeled under --Column 6, Claim 5, lines 26 and 27--. Attorney submitted the 1050 form in improper format. A new certificate of correction will be issued listing the proper format Column and line number.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-9390 ext. 111
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-308-9390 ext. 125